产品编号 ： 330123022

Product Description ： MX150 Female Terminal for Unsealed Connectors, Tin Plating, 18 and 20 AWG, Left Reel Payoff. Not Suitable for MX150 Sealed Connectors.

系列号 ： 33012

状态 ： Active

Product Category ： Crimp Terminals



文件和资源

图纸

图纸　330123022_sd.pdf

规格

应用规格　330120000-AS-KR-000.pdf

测试摘要　TS-33012-002-001.pdf

产物环境合规

合规

GADSL/IMDS	Compliant with Exemption 33; 44
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

欧盟 RoHS 合格证书

产品详情

常规

状态	活动
类别	Crimp Terminals
系列	33012
说明	MX150 Female Terminal for Unsealed Connectors, Tin Plating, 18 and 20 AWG, Left Reel Payoff. Not Suitable for MX150 Sealed Connectors.
应用	Power, Wire-to-Board, Wire-to-Wire
个评论	Left Reel Payoff, Large Polarization Rib; Not to be used with MX150 Sealed Connectors
产品系列	MX150 Sealed and Unsealed Connector System
产品名称	MX150
UPC	822350084420

电气

每触点最大电流	Contact Molex
电压 - 最大	14V DC

物理

性别	女
夹具代码	18
材料 - 金属	High Performance Alloy (HPA)
材料 - 接合部位电镀	Tin
材料 - 终端电镀	Tin
净重	0.434/g
包装形式	Reel
最薄镀层 - 接合部位	0.508µm
最薄镀层 - 端接	0.508µm
终端界面类型	Crimp or Compression

导线绝缘直径	2.54mm max.
线径规格 (AWG)	18, 20
线缆尺寸mm²	0.75-1.00

进程

无铅	不适用

可连接使用部件

描述	产品编号
MX150 Mat-Sealed Single Row Female Connector Assemblies	33471
MX150 Mat-Sealed Dual Row Female Connector Assemblies	33472

施工工具

全局

描述	产品编号
Extraction Toolkit for MX150 Connectors	2002220700
FA2 Mechanical Feed Applicator for MX150 18 Grip Receptacle Terminals, 20 AWG and 0.75mm² Wire	0638082600
FA2 Mechanical Feed Applicator for MX150 18 Grip Female Terminals, 18 AWG and 1.00mm² Wire	0638082800
FA2 Pneumatic Feed Crimp Applicator for MX150 Crimp Terminals, 18 AWG	0638082810
PremiumGrade Hand Crimp Tool for MX150 Female Terminals, 18-22 AWG	0638116000
PremiumGrade Hand Crimp Tool for MX150 Female Terminals for 1.00mm² and 1.50mm² Metric Wires	0638116100
Hand Crimp Tool Metric 0.5 and 0.75	0638116200
Extraction Tool for MX150L, MX150, PT Bulb Socket, iGrid, SPOX, and Wire-to-Motor Terminals	0638131500
FineAdjust Applicator, 18 AWG and Metric 1.00	0638682100

FineAdjust Applicator, 20 AWG and 0.75 Metric	0638682200
FineAdjust Applicator, 22 AWG and 0.50 Metric	0638686000
FineAdjust Applicator for MX150 Female Terminals, 18 AWG and 1.00mm² wire	0639000800
FineAdjust Applicator for MX150 Female Terminals, 20 AWG and 0.75mm² wire	0639000900
ServiceGrade Hand Crimp Tool for MX150 Crimp Terminals, 14-22 AWG	0640160133